

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,286,632  
APPLICATION NO.: 10/517,325  
ISSUE DATE : October 23, 2007  
INVENTOR(S) : Jiwei Yang, Gordon Mawdsley, Martin Yaffe

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, claim 2, lines 1-2, "the breast support plate" should be changed to --a breast support plate--.

Column 6, claim 7, line 12, "mammography machine" should be changed to --mammography apparatus--; line 20, "the data processing means" should be changed to --a data processing means--.

Column 6, claim 8, line 25, "method" should be changed to --apparatus--.

Column 6, claim 9, line 27, "method" should be changed to --apparatus--.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Bereskin & Parr LLP ATTN: Ian C. McMillan  
40 King Street West, 40th floor  
Toronto, Ontario, Canada M5H 3Y2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*